DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

	Home:	Ex. 6 - Personal Privacy						
	Field Sample ID:	MWF-METALS-001 ** / MWF-HCN-001	MWF-METALS-002 ** / MWF-HCN-002	MWF-METALS-003 ** / MWF-HCN-003	MWF-METALS-004 ** / MWF-HCN-004	MWF-METALS-005 **	MWF-METALS-006 **	MWF-METALS-007 **
	Sample Date:	6/15/2016	6/15/2016	6/15/2016	6/15/2016	6/15/2016	6/15/2016	6/15/2016
	Laboratory Job Number:	82527	82527	82527	82527	82549	82549	82549
Parameters	**Units**							
Hydrogen Cyanide / NIOSH-6010	mg/m^3	ND<0.125	ND<0.125	ND<0.125	ND<0.125			
Metals / NIOSH-7303(M)								
Aluminum	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.992	1.25	1.69
Antimony	$\mu g/m^3$	ND<0.25	5.43	ND<0.25	ND<0.25	0.412	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$	ND<0.25	ND<0.25	0.579	ND<0.25	0.946	ND<0.25	ND<0.25
Beryllium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	$\mu g/m^3$	ND<0.25	3.94	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	5.55	4.98	8.08	8.08
Chromium	$\mu g/m^3$	**1.53**	**2.00**	**8.76**	**1.42**	ND<0.25	ND<0.25	ND<0.25
Cobalt	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	$\mu g/m^3$	3.14	ND<0.25	ND<0.25	ND<0.25	3.66	4.10	4.10
Lead	$\mu g/m^3$	ND<0.25	2.46	ND<0.25	ND<0.25	0.792	ND<0.25	ND<0.25
Magnesium	$\mu g/m^3$	1.16	2.70	6.23	1.16	18.9	2.11	2.11
Manganese	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	7.43	0.432	0.887
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	5.82	7.01	8.44
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	0.399	0.405	1.81	0.327	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	6.25	ND<0.25	0.423	6.52	ND<0.25	0.307

Notes:
Bold results exceed applicable limits for characteristic hazardous wastes
ND<X = constituents(s) not detected at or above method detection limit
* = Trace level of target analyte was detected in the associated field blank and the result was adjusted by field blank concentration
J = analyte was detected. However, analyte concentration is an estimated value which is between the method detection limit (MDL) and the practical quantitation limit (PQL)
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home:	Ex. 6 - Personal Privacy					
		Field Sample ID:	**MWF-METALS-008 ****	**MWF-METALS-009 ****	**MWF-METALS-010 ****	**MWF-METALS-022 ****	**MWF-METALS-031 ****	**MWF-METALS-032 ****	**MWF-METALS-033 ****
		Sample Date:	**6/15/2016**	**6/16/2016**	**6/16/2016**	**6/17/2016**	**6/18/2016**	**6/18/2016**	**6/20/2016**
		Laboratory Job Number:	**82549**	**82565**	**82565**	**82565**	**82565**	**82565**	**82717**
Hydrogen Cyanide / NIOSH-6010	mg/m^3								
Metals / NIOSH-7303(M)									
Aluminum	$\mu g/m^3$		0.345	1.22	0.643	1.33	0.804 *	0.468 *	ND<0.25
Antimony	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.426	ND<0.25
Beryllium	$\mu g/m^3$				ND<0.25	ND<0.25			ND<0.25
Cadmium	$\mu g/m^3$		ND	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Calcium	$\mu g/m^3$		2.69	7.87 *	6.93 *	5.05 *	0.853		2.43
Chromium	$\mu g/m^3$		**0.646**	ND<0.25	ND<0.25	ND<0.25	0.445 *	N 5 *	0.405
Cobalt	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Copper	$\mu g/m^3$		ND<0.25		ND<0.25	ND<0.25		N 5	ND<0.25
Iron	$\mu g/m^3$		ND<0.25		0.506 J	1.53			0.899
Lead	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	0.25	ND<0.25	N 5	ND<0.25
Magnesium	$\mu g/m^3$		0.386	7.91	0.644	5	2.62		1.03
Manganese	$\mu g/m^3$		ND<0.25	ND<0.25	ND<		ND<0.25		ND<0.25
Molybdenum	$\mu g/m^3$		ND	ND<0.25	ND	N	ND<0.25	N 5	ND<0.25
Nickel	$\mu g/m^3$			ND<0.25	N	ND	ND<0.25	N 5	ND<0.25
Potassium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	1.07	ND<0.25	1.38	ND<0.25
Selenium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$		2.41	3.80	3.71	4.20 *	2.35 *	1.93 *	3.20
Thallium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$		ND<0.25	0.295	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home:	Ex. 6 - Personal Privacy				Ex. 6 - Personal Privacy	Pr...
	Field Sample ID:	MWF-METALS-034 **	MWF-METALS-035 **	MWF-METALS-036 **	MWF-METALS-037 **	MWF-METALS-038 **	MWF-METALS-043	MWF-METALS-046 **
	Sample Date:	6/19/2016	6/19/2016	6/20/2016	6/20/2016	6/20/2016	6/20/2016	6/22/2016
	Laboratory Job Number:	82565	82565	82717	82717	82717	82717	82731
Hydrogen Cyanide / NIOSH-6010	mg/m^3							
Metals / NIOSH-7303(M)								
Aluminum	$\mu g/m^3$	0.649	0.539	ND<0.25	ND<0.25	0.347	ND<0.25	ND<0.25
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	$\mu g/m^3$			ND<0.25	ND<0.25			ND<0.25
Cadmium	$\mu g/m^3$	ND	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Calcium	$\mu g/m^3$	1.76 *	1.02 *	2.43	2.18	1.60		1.85 *
Chromium	$\mu g/m^3$	ND<0.25 *	ND<0.25 *	0.395	0.482	0.346		ND<0.25 *
Cobalt	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Copper	$\mu g/m^3$	ND<0.25		ND<0.25	D<0.25		N 5	ND<0.25
Iron	$\mu g/m^3$	ND<0.25		ND<0.25	1.361	ND<0.25	N 5	ND<0.25
Lead	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	0.25	ND<0.25	N 5	ND<0.25
Magnesium	$\mu g/m^3$	0.760	0.690	0.849	2	1.11		0.359
Manganese	$\mu g/m^3$	ND<0.25	ND<0.25	ND<	5	ND<0.25	N 5	ND<0.25
Molybdenum	$\mu g/m^3$	ND	ND<0.25	ND	N	ND<0.25	N 5	ND<0.25
Nickel	$\mu g/m^3$		ND<0.25	N	ND	ND<0.25	N 5	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	1.29
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	2.02	1.86	0.923	1.36	2.85	2.80	0.301
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Ex. 6 - Personal Privacy

Ex. 6 - Personal Privacy

Parameters	Units	Home:	Field Sample ID:	Sample Date:	Laboratory Job Number:			
			MWF-METALS-047 **	6/22/2016	82731			
			MWF-METALS-068 **	6/23/2016	82746			
			MWF-METALS-069 **	6/23/2016	82746			
			MWF-METALS-107 **	6/24/2016	82851			
			MWF-METALS-108 **	6/24/2016	82851			
			MWF-METALS-120	6/25/2016	82856			
			MWF-METALS-121	6/25/2016	82856			
Hydrogen Cyanide / NIOSH-6010	mg/m^3							
Metals / NIOSH-7303(M)								
Aluminum	$\mu g/m^3$		0.303	0.334	0.497	0.298 *	0.405 *	ND<0.25
Antimony	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	$\mu g/m^3$				ND<0.25	ND<0.25		ND<0.25
Cadmium	$\mu g/m^3$		ND	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	$\mu g/m^3$		5.44 *	1.14 *	1.43 *	1.13 *	1.32 *	0.585 *
Chromium	$\mu g/m^3$		ND<0.25 *	ND<0.25	ND<0.25	ND<0.25 *	ND<0.25 *	ND<0.25
Cobalt	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	$\mu g/m^3$		ND<0.25		ND<0.25	ND<0.25		ND<0.25
Iron	$\mu g/m^3$		0.480		ND<0.25	<0.25		0.260
Lead	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	0.25	ND<0.25	ND<0.25
Magnesium	$\mu g/m^3$		0.764	0.467	0.626	*	0.529 *	0.574
Manganese	$\mu g/m^3$		ND<0.25	ND<0.25	ND<	5	ND<0.25	ND<0.25
Molybdenum	$\mu g/m^3$		ND	ND<0.25	ND	ND	ND<0.25	ND<0.25
Nickel	$\mu g/m^3$			ND<0.25	ND	ND	ND<0.25	ND<0.25
Potassium	$\mu g/m^3$		1.52	ND<0.25	ND<0.25	ND<0.25	ND<0.25 *	ND<0.25
Selenium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$		2.80	1.91	2.20	2.80	2.49	1.32
Thallium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$		0.364	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy				Ex. 6 - Personal Privacy		
	Field Sample ID:	MWF-METALS-146	MWF-METALS-147	MWF-METALS-148	MWF-METALS-149	MWF-METALS-200	MWF-METALS-201	MWF-METALS-207 **
	Sample Date:	6/26/2016	6/26/2016	6/27/2016	6/27/2016	6/27/2016	6/27/2016	6/30/2016
	Laboratory Job Number:	82856	82856	82873	82873	82873	82873	82950
	Units							
Hydrogen Cyanide / NIOSH-6010	mg/m^3							
Metals / NIOSH-7303(M)								
Aluminum	$\mu g/m^3$	ND<0.25	ND<0.25	0.427 *	0.328 *	ND<0.25 *	ND<0.25 *	0.418
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	$\mu g/m^3$			ND<0.25	ND<0.25			ND<0.25
Cadmium	$\mu g/m^3$	ND	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Calcium	$\mu g/m^3$	2.88	8.61	2.64 *	1.27 *	0.787 *	*	3.42
Chromium	$\mu g/m^3$	0.267	0.27	0.407	ND<0.25	ND<0.25	N 5	ND<0.25
Cobalt	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Copper	$\mu g/m^3$	ND<0.25		ND<0.25	ND<0.25		N 5	ND<0.25
Iron	$\mu g/m^3$	ND<0.25		1.16	.940	ND<0.25	N 5	ND<0.25
Lead	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	0.25	ND<0.25	N 5	ND<0.25
Magnesium	$\mu g/m^3$	0.928	0.910	0.650	*	ND<0.25 *	*	1.21
Manganese	$\mu g/m^3$	ND<0.25	ND<0.25	ND<	5	ND<0.25	N 5	ND<0.25
Molybdenum	$\mu g/m^3$	ND	ND<0.25	ND	ND	ND<0.25	N 5	ND<0.25
Nickel	$\mu g/m^3$		ND<0.25	ND	ND	ND<0.25	N 5	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	5.20	1.52	0.517 *	ND<0.25 *	1.26 *	1.03 *	7.00
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-208 **	MWF-METALS-209 **	MWF-METALS-210 **	MWF-METALS-211 **	MWF-METALS-212 **	MWF-METALS-213 **	MWF-METALS-214 **
	Sample Date:	6/30/2016	7/1/2016	7/1/2016	7/2/2016	7/2/2016	7/3/2016	7/3/2016
	Laboratory Job Number:	82950	82954	82954	82955	82955	83087	83087
	Units							
Hydrogen Cyanide / NIOSH-6010	mg/m^3							
Metals / NIOSH-7303(M)								
Aluminum	$\mu g/m^3$	0.349	0.409	0.372	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	$\mu g/m^3$			ND<0.25	ND<0.25			ND<0.25
Cadmium	$\mu g/m^3$	ND	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Calcium	$\mu g/m^3$	10.2	3.53	3.25	0.710	0.999	N 5	ND<0.25
Chromium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Cobalt	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N 5	ND<0.25
Copper	$\mu g/m^3$	ND<0.25		ND<0.25	ND<0.25		N 5	ND<0.25
Iron	$\mu g/m^3$	ND<0.25		0.522	<0.25	ND<0.25	N 5	ND<0.25
Lead	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	0.25	ND<0.25	N 5	ND<0.25
Magnesium	$\mu g/m^3$	1.49	0.922	0.883	7	0.702	N 5	ND<0.25
Manganese	$\mu g/m^3$	ND<0.25	ND<0.25	ND<	5	ND<0.25	N 5	ND<0.25
Molybdenum	$\mu g/m^3$	ND	ND<0.25	ND	ND	ND<0.25	N 5	ND<0.25
Nickel	$\mu g/m^3$		ND<0.25	ND	ND	ND<0.25	N 5	ND<0.25
Potassium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	6.90	5.45	4.78	3.07	3.46	1.15	ND<0.25
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

Table 2
Draft Outdoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

DRAFT - DO NOT REPRODUCE

Parameters	Units						
	Home:	**Ex. 6 - Personal Privacy**					
	Field Sample ID:	**MWF-METALS-219 ****	**MWF-METALS-220 ****	**MWF-METALS-229 ****	**MWF-METALS-230 ****	**MWF-METALS-231 ****	**MWF-METALS-232 ****
	Sample Date:	**7/5/2016**	**7/5/2016**	**7/7/2016**	**7/7/2016**	**7/8/2016**	**7/8/2016**
	Laboratory Job Number:	**83088**	**83088**	**83144**	**83144**	**83144**	**83144**
Hydrogen Cyanide / NIOSH-6010	mg/m^3						
Metals / NIOSH-7303(M)							
Aluminum	µg/m^3	ND<0.25	ND<0.25	ND<0.25	2.27	0.383	0.523
Antimony	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Cadmium	µg/m^3	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Calcium	µg/m^3	3.06	0.961	[illegible]	[illegible]	1.20	1.05
Chromium	µg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Cobalt	µg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Copper	µg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Iron	µg/m^3	ND<0.25	0.250	0.298	[illegible]	0.644	0.586
Lead	µg/m^3	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Magnesium	µg/m^3	0.325	[illegible]	ND<0.25	[illegible]	0.450	0.513
Manganese	µg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	µg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	µg/m^3	0.601	0.565	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3	1.16	1.00	0.513	2.67	2.42	2.22
Thallium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
mg/m^3 = milligram per cubic meter
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE